MODEL

814 MHXLSE

SERIAL NUMBER

118716

REFERENCE TO OCCUPATIONAL SAFETY AND HEALTHADMINISTRATION RULES AND REGULATIONS, VOL. 54, NO 209, PART 1926, SUBPART P

SHIELD SIZE		PSF RATING	MAXIMUMALLOWABLE DEPTH OF CUT (FEET) D		
			SOIL TYPE TO BE EXCAVATED		
HEIGHT (FEET)	LENGTH (FEET)	MAXIMUM LATERAL EARTH PRESSURE CAPACITY AT TRENCH BOTTOM IN POUNDS PER SQUARE FOOT	TYPE A Stiff, cohesive soil. 25 PSF per foot of depth	TYPE B  Medium cohesive to granular soil.  45 PSF per foot of depth.	TYPE C Soft cohesive to submerged soil. 60 PSF per foot of depth
8	14	660	26	15	11
LIMITATIONS IN USE OF TABLE			DESCRIPTION	DESCRIPTION	DESCRIPTIO

## LIMITATIONS IN USE OF TABLE

- TRENCH SHIELD TO BEASSEMBLED AND INSTALLED AS SHOWN AND INACCORDANCE WITH MANUFACTURER'S INSTRUCTIONS.
- 2. EXCAVATION 2 FEET BELOW BOTTOM OF SHIELD IS PERMITTED WHEN NO LOSS OF SOIL FROM BEHIND OR BELOW THE BOTTOM OF SHIELD IS ENCOUNTERED.

CONSULT MANUFACTURER WHEN RESTRICTION ON NOTE 2 IS NOT MET.


- 4. ADDITIONAL SHIELDS MAY BE STACKED WITH NO PENALTY IN DEPTH OF CUT.
- 5. DEPTHS OF CUTS SHOWN ARE BASED ON EXAMPLES OF VARIOUS SOIL CONDITIONS. VERIFY ACTUAL SOIL PRESSURES PRIOR TO EACH USE.
- 6. ANY MODIFICATIONS ORALTERATIONS NOT ALLOWED UNLESS APPROVED IN WRITING BY EFFICIENCY PRODUCTION, INC.
- 7. DEPTH CERTIFICATION IS BASED ON SHORT TERM EXPOSURE WITH EXCAVATION OPEN A PERIOD NOT EXCEEDING 24 HOURS.


CONTINUED ON REVERSE SIDE

Clay, silty clay, sandy clay, clay loam, unconfined compressive strength of 1.5 tons per square foot or greater. (see note 8 on reverse side)

Clay with unconfined compressive strength greater than .5 TSF but less than 1.5 TSF, cohesionless gravel, silt, silt loam or sandy loam. (see note 9 on reverse side)

Clay with unconfine compressive streng less than .5 TSF submerged sand, c fractured rock that stable. (see note 10 reverse side)





## CERTIFIED BY:

EFFICIENCY PRODUCTION, INC. **APRIL 1, 1999** 

1991 EFFICIENCY PRODUCTION ALL RIGHTS RESERVED

MANUFACTURED UNDER ONE OR MORE OF THE FOLLOWING U.S. PATENT NUMBERS; 4,090,365-4,114,383-4,259,028 ONE OR MORE OF THE FOLLOWING CANADIAN PATENT NUMBERS: 1,062,683-1,062,684

USE THIS PRODUCT ONLY INACCORDANCE WITHAPPLICABLE FEDERAL, STATE, OR LOCAL LAWS

Any use of this product not specifically described on this certificate could cause cave-in, collapse, or structural failure resulting in death or serious injury.